



The Chemistry of Sports Drinks: A Thematic Reviewed Approach

Anil Kumar

Physical Education Teacher, Navyug School, Pandara Park, New Delhi, India

Received: 03 October, 2016; **Accepted:** 15 October, 2016; **Published:** 23 October, 2016

Abstract: It seems like every second advert on the TV now is for a sports drink. Sports stars are featured using them, from Brian O’Driscoll to Sean Ó Hailpín and Damien Duff. These drinks make a lot of claims about improving performance and endurance, so how do they work? The essential formula for sports drinks has changed little over the years. They contain sugar for energy, water for hydration, electrolytes such as salt to help with water retention, plus color and flavoring. Formulators play around with the sources and relative concentration of these ingredients to make sure they end up where they’re needed in the body as quickly as possible.

Keywords: *Energy, Sports, Drink and Flavouring.*

Introduction:

Today there is a wide range of energy drinks, sports drinks and soft drinks on the market, which can lead to confusion. How do athletes know what to drink during exercise and does it really matter? Athletes need to remain hydrated during exercise and that extra bit of ‘energy’ can boost performance. So are there any real differences between the types of drinks available?

Water hydrates better than any other liquid, both before, during and after exercise. Cold water is absorbed faster by your body than water at room temperature or body temperature. However, people don’t usually drink enough water.

Soft drinks contain mainly water, sugar and flavouring. They are meant to taste good, encouraging more to be drunk, resulting in better hydration. They can be high in calories.

Sports drinks or isotonic drinks contain similar concentrations of salt and sugar as in the body. They are designed to replenish the electrolytes lost during physical activity. Sports drinks don’t hydrate the body any better than water, but you are more likely to drink larger

volumes, which lead to better hydration. Sports drinks usually contain fewer calories than soft drinks but will still give a carbohydrate boost. Energy drinks contain sugar, caffeine and a variety of other ingredients such as taurine, guarana and ginseng. Manufacturers claim that they are designed to 'boost' performance and increase stamina but many health experts disagree and say that any 'boost' in performance is due only to sugar and caffeine content.

All living cells need energy to function in order for the chemical reactions occurring in the cells to take place. In humans this energy is obtained by breaking down organic molecules such as carbohydrates, fats and proteins. When the previous substances are broken down at molecular level, bonds breaking and forming between the atoms in the molecules release or require energy. The biochemical reactions, which take place in cells when a fuel substance such as carbohydrate (e.g. glucose or fructose) is broken down, will normally release more energy than they use. Thus energy is available for other reactions to take place and to provide the energy needed for muscle contraction.

For many years, endurance athletes such as marathon runners have been advised to eat carbohydrate-rich foods such as pasta, leading up, during and after exercise. This is because it is important for endurance athletes to maintain good levels of blood sugar so that energy can be released by both aerobic and anaerobic respiration during the event. During the 1980s carbohydrate drinks became popular in endurance sports, especially where the sporting activity lasts for more than an hour as they proved to be a good way of quickly getting carbohydrates into the bloodstream. Sports performance is dependent on providing the energy required to contract our muscles to move our bodies. Therefore, using sports drinks could make a difference to the overall performance. Recent research evidence also suggests that consuming carbohydrates during high intensity exercise lasting less than an hour can also be beneficial to overall performance.

Aerobic Exercise:

Whether you're running, walking, swimming, or playing football, your muscles are working more than they normally would. To work efficiently, your body chemistry changes. Working muscles need lots of oxygen. This is delivered to your muscles and organs by blood, so exercise puts increased demands on your heart and lungs. Your heart beats faster to supply the blood and your lungs gulp in the air to get the oxygen from it.

Here's the technical bit. The chemical equation for respiration and aerobic exercise is:

$$C_6H_{12}O_6 + 6O_2 = ATP + 6H_2O + 6CO_2$$

Or (more simply): glucose + oxygen = ATP + water + carbon dioxide.

What's ATP?

ATP in that equation stands for adenosine triphosphate (C₁₀H₁₆N₅O₁₃P₃).

ATP is an energy carrier, a bit like a truck transporting energy from one part to another, so it's needed to think, breathe or contract muscles, and it's recharged with food.

For this to work, your body needs three things to happen:

- As with any form of combustion, your body needs oxygen to burn or use ATP (so you inhale a lot).
- Your body needs to stay cool and get rid of excess heat (you sweat).
- Your body also needs to get rid of waste produced in this process (you exhale and your body breaks down lactic acid into its constituent parts to dump or reuse).

Anaerobic Exercise:

If you can't get the oxygen to your cells fast enough, your system uses whatever else is available to create ATP: it uses lactic acid. The chemical equation for anaerobic exercise goes like this: C₆H₁₂O₆ = 2 C₃H₆O₃ + 2ATP

Or, in simpler terms: glucose = lactic acid + energy. The presence of this acid is the reason why your muscles feel sore while exercising (although, contrary to popular belief, it's not why they feel sore after exercising). If Your Body Doesn't Get Enough Water. If you don't have enough water in your system while exercising, your body temperature rises and there's an even greater need to bring water to the sweat glands. Blood is about 50% water, which is why blood that is being used to transport oxygen and nutrients to your muscles has to be diverted to do this, so your muscles don't get what they need. This leads to a poorer performance. Sweating also involves the loss of essential salts or electrolytes such as sodium, potassium and calcium ions. These are central to healthy cell communication and affect how your muscles contract, so replacing them is crucial.

Isotonic Drinks

So where do sports drinks come into all this? Isotonic drinks contain electrolytes and carbohydrates. When you're engaged in strenuous activity, secondary bodily functions like digestion often 'shut down'. Isotonic drinks with small amounts of glucose are an alternative to eating solids – they are a quick and light way to give your body the food it needs to keep going. If you can manage a sip or two every 20 minutes during exercise it can prevent an energy crash. The drinks are fortified with essential salts too, so drinking them can help to maintain cell function and prevent dehydration. Flavours are also added, but this is just to make the drinks tastier.

Conclusion:

Sodium is the most common electrolyte in sports drinks. It helps the body retain fluid by maintaining osmotic pressure in blood vessels. The amount of salt released in sweat during a given activity varies by individual. Achieving the right amount can be a balancing act for manufacturers: Too much salt tastes bad, but too little won't replace what an athlete needs. For this reason, sports drinks generally contain about 20 mM of sodium at most, which is on the lower end of what average people lose in their sweat.

Finding the right amount of sugar is another tricky feat: Too much lowers the rate at which the drink empties from the stomach and enters the bloodstream, but too little means less energy and a possibly unpalatable drink given the added salt. As a result, an average sports drink contains about 3–7% sugary carbohydrate. Formulators experiment with mixing various types of sugars, such as glucose, fructose, sucrose, and maltodextrins, so as not to overload any one type of transporter in the gut.

In addition to these three main components, drink developers experiment with other add-ins, such as proteins and branched-chain amino acids to help with muscle repair and growth. But these also run the risk of being absorbed inefficiently in the gut and thus slowing down the overall absorption of other, more essential components of sports drinks.

References

1. Jeukendrup, A.E., Carbohydrate intake during exercise and performance, *Nutrition*, 20 (2004) 669-677
2. Carter, J., Jeukendrup, A.E., Mann, C.H., Jones, D.A., The effect of glucose infusion on glucose kinetics during a 1 h time trial, *Med Sci Sports Exerc*, 36 (2004) 9.
3. RSC Advancing the Chemical Science, The Chemistry of Sports Drinks Teachers Notes
4. <http://health.howstuffworks.com/wellness/diet-fitness/exercise/sports-physiology3.html>
5. <http://cen.acs.org/articles/95/web/2017/02/what-are-sports-drinks-and-do-regular-athletes-need-them.html>
6. <http://www.science.ie/features/archived-feature-articles/the-chemistry-of-sports-drinks.html>